



...digital radio on the move

Hyundai
DIGITAL RADIO INTEGRATION

Your AutoDAB is preloaded with the national stations listed...



www.AUTODAB.COM

Getting Started...



Designed and
Engineered
in the UK. 

1 Steering Wheels



Notes

Volume control buttons work as per usual.

Step 2 - This step may already have been done by your installer. If this is the case move straight to Step 3 - 'Browsing through preset stations'

2 Getting Started - Initial setup of head unit

On first install the AutoDAB controller will default to transmitting on 87.8MHz. The car radio will display a text message and an audio message will be heard. The audio message repeats every 5 seconds. Tune the car radio to the AutoDAB frequency. Choose a preset on the car radio and store the AutoDAB frequency to it. The Audio message will then say "Scanning AutoDAB, Please wait" After initial scanning is complete the audio message will change to "AutoDAB" Press & hold **A** to start AutoDAB. After a short delay the car radio will display the first available DAB station found e.g. **Absolute**

3 Browsing through Preset Stations

Your AutoDAB will come with 21 Presets already loaded. To browse through your presets you will need to use the following commands:

- ◆ Press button **B** to move up the Preset list.
- ◆ Press button **C** to move down the Preset list.

4 Navigating the station list (Alphabetical)

Press & hold **B** or **C** to move up or down the station list from the current tuned station. This will initiate station list navigation and temporarily change the action of button **B** & **C**. Now a quick press of button **B** or **C** will move up or down the full station list. After 30 seconds of no button pushes a double beep will be heard and buttons **B** & **C** will revert back to normal operation.

Tip - If you are looking for a specific station, then go to the preset nearest to it in the alphabet and move up or down from there.

5 Adding new Presets

When you locate a station that you want to add to your presets whilst navigating stations (see step 4). Simply press and hold **A** which will give you access to the AutoDAB menu. Press **B** once. The text will show add-pre as you will hear the audio prompt add preset. Press button **A** once and the preset will be added.

Continue to navigate the list to add other presets as required.

6 Scanning for Stations

To update the available stations in your current location

1. Press & hold **A** to enter the DAB menu
2. Scroll to the "Scan" option using **B** or **C**
3. Press **A** to start the scanning operation.

The audio message repeats twice.

After a delay, typically 60 seconds, the car radio will display the total number of DAB stations found and the number of DAB stations currently available.

e.g. 63 stations have been found.
53 stations are available.

Note Found stations are all the stations that have been found in all scanned areas.
Available stations are the stations that have been found in this scanned area.


After a short delay the car radio will display the DAB station name, **e.g. Absolute**

7 Turning AutoDAB ON/OFF

Please note whilst AutoDAB is switched on, the steering wheel controls A,B,C will be dedicated to AutoDAB functions only, if you switch to any other FM preset or another source on the radio without turning AutoDAB OFF, the steering wheel controls will not function correctly.

AutoDAB needs to be turned OFF, if you wish to select other functions on your radio and have control of the steering wheel buttons.

Press button **A Once will turn DAB OFF. Press&Hold Button **A** = DAB ON**



1 AutoDAB

Normal DAB mode. DAB Station name is shown on head unit display.

2 Menu

Enter AutoDAB menu

3 Add/Del Presets

If the current tuned station is already in the AutoDAB preset list the option of Delete Preset will be offered to the user, if the current tuned station is not already in the AutoDAB preset list the option of Add Preset will be offered. (see adding presets)

4 Scan

AutoDAB will scan for all available stations in your area and up-date the station list accordingly. The display will show 'scanning' and you will be prompted "scanning AutoDAB please wait..." twice. After scanning is completed your display will tell you how many stations were found and how many are available for you to select.

5 Clear and Scan

Deletes existing station list and re-scans. All stations and presets that are no longer in range will be deleted.

6 Reset All Presets

Restores presets back to factory default.

7 System Menu

Allows access to the system menu of the AutoDAB.

8 Exit

Exits the AutoDAB menu and returns to normal DAB mode.

9 Set Voice Volume

The voice prompt can be increased by pushing button **B** and decreased by pushing button **C**. The voice volume level is displayed as a figure between off and 10 max.

10 Set Frequency

Allows the user to adjust the FM frequency which the AutoDAB broadcasts on. The default frequency is 87.8Mhz.

11 Disp AutoDAB

Forces the RDS to always display 'Autodab' when tuned to AutoDAB. Voice constantly says "AutoDAB....AutoDAB". This is to help the AutoDAB broadcast frequency.

12 Set Browse

AutoDAB can be navigated in either List mode (all available stations listed alphabetically A to Z) or in Ensemble mode (all stations listed by ensemble i.e a group of stations that are transmitted together).

13 Scroll

Enables or disables scrolling text. The radio text can be set to scroll on the display where you would normally see your DAB station. The display will show what you're listening to and whatever text the station transmits. This can, however, be difficult to read on some radios and be distracting to drivers. We, therefore, recommend that this feature is disabled.

14 Softlink

A station can have a link to another broadcaster's station with different content. Softlink enables the radio to follow the link.

15 Announcement

You can select to receive either all announcements, just traffic and alarm or turn them all off

16 Radio Text

If your head unit supports this feature you can display all the radio text the broadcaster sends, just track information or none at all.

17 Language

You can select the AutoDAB to be in one of five languages

18 Diagnostics

Diagnostics menu for use if a problem occurs with your AutoDAB. You can also check your antenna's signal or show the current stations statistics.

19 Factory Reset

Restore AutoDAB tuner to factory settings. All presets/ stations will be deleted and AutoDAB will be reset to its original configuration.

20 Exit

Exit the DAB menu and returns to normal AutoDAB mode.

digitalradio 



...digital radio on the move

TECHNICAL SUPPORT

 0121 522 5554

 support.connects2.com/tickets/technical/

WWW.AUTODAB.COM

Designed and
Engineered
in the UK. 